

Andrew Freistein 10/798,617

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssptabfl626

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2		"Ask CAS" for self-help around the clock
NEWS	3	JAN 17	Pre-1988 INPI data added to MARPAT
NEWS	4	FEB 21	STN AnaVist, Version 1.1, lets you share your STN AnaVist visualization results
NEWS	5	FEB 22	The IPC thesaurus added to additional patent databases on STN
NEWS	6	FEB 22	Updates in EPFULL; IPC 8 enhancements added
NEWS	7	FEB 27	New STN AnaVist pricing effective March 1, 2006
NEWS	8	MAR 03	Updates in PATDPA; addition of IPC 8 data without attributes
NEWS	9	MAR 08	X.25 communication option no longer available after June 2006
NEWS	10	MAR 22	EMBASE is now updated on a daily basis
NEWS	11	APR 03	New IPC 8 fields and IPC thesaurus added to PATDPAFULL
NEWS	12	APR 03	Bibliographic data updates resume; new IPC 8 fields and IPC thesaurus added in PCTFULL
NEWS	13	APR 04	STN AnaVist \$500 visualization usage credit offered
NEWS	14	APR 12	LINSPEC, learning database for INSPEC, reloaded and enhanced
NEWS	15	APR 12	Improved structure highlighting in FQHIT and QHIT display in MARPAT
NEWS	16	APR 12	Derwent World Patents Index to be reloaded and enhanced during second quarter; strategies may be affected
NEWS	17	MAY 10	CA/CAPLUS enhanced with 1900-1906 U.S. patent records
NEWS	18	MAY 11	KOREAPAT updates resume
NEWS EXPRESS			FEBRUARY 15 CURRENT VERSION FOR WINDOWS IS V8.01a, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 19 DECEMBER 2005. V8.0 AND V8.01 USERS CAN OBTAIN THE UPGRADE TO V8.01a AT http://download.cas.org/express/v8.0-Discover/
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS LOGIN			Welcome Banner and News Items
NEWS IPC8			For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * *

Andrew Freistein 10/798,617

COMPLETE THE STN SURVEY - APRIL 27 THROUGH MAY 31

Dear valued STN customer,

In an effort to enhance your experience with STN, we would like to better understand what you find useful. Please take approximately 5 minutes to complete a web survey.

If you provide us with your name, login ID, and e-mail address, you will be entered in a drawing to win a free iPod(R). Your responses will be kept confidential and will help us make future improvements to STN.

Take survey: <http://www.zoomerang.com/survey.zgi?p=WEB2259HNKWTUW>

Thank you in advance for your participation.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 12:53:40 ON 11 MAY 2006

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 12:53:45 ON 11 MAY 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 10 MAY 2006 HIGHEST RN 883788-13-4

DICTIONARY FILE UPDATES: 10 MAY 2006 HIGHEST RN 883788-13-4

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*

Structure search iteration limits have been increased. See HELP SLIMITS for details.


REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

Andrew Freistein 10/798,617

<http://www.cas.org/ONLINE/UG/regprops.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10798617\25d.str



chain nodes :

6 7 8 9 10 11 12 13 14 15 16 17 18 21

ring nodes :

1 2 3 4 5

chain bonds :

1-6 2-7 2-21 3-16 3-17 4-15 4-18 5-12 5-13 8-9 8-21 9-10 9-11 12-14

ring bonds :

1-2 1-5 2-3 3-4 4-5

exact/norm bonds :

1-2 1-5 2-3 2-7 3-4 3-16 3-17 4-5 4-15 4-18 5-13 8-9 8-21 9-11 12-14

exact bonds :

1-6 2-21 5-12 9-10

G1:H,CH3

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:CLASS 8:CLASS 9:CLASS

10:CLASS 11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS ,


18:CLASS 21:CLASS

L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1 STR



G1 H,Me

Andrew Freistein 10/798,617

Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 12:54:03 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 16 TO ITERATE

100.0% PROCESSED 16 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 80 TO 560
PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s l1 full

FULL SEARCH INITIATED 12:54:06 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 218 TO ITERATE

100.0% PROCESSED 218 ITERATIONS 2 ANSWERS
SEARCH TIME: 00.00.01

L3 2 SEA SSS FUL L1

=> file hcaplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	166.94	167.15

FILE 'HCAPLUS' ENTERED AT 12:54:10 ON 11 MAY 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 11 May 2006 VOL 144 ISS 20
FILE LAST UPDATED: 10 May 2006 (20060510/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l3

L4 5 L3

Andrew Freistein 10/798,617

=> d ibib hitstr 1-5

L4 ANSWER 1 OF 5 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 2005:732530 HCAPLUS
DOCUMENT NUMBER: 143:166732
TITLE: Treatment of degenerative cartilage conditions in a
mammal with glycosidase inhibitors
INVENTOR(S): Ichikawa, Yoshitaka; Shue, Youe-Kong; Orida, Norman
K.; Lotz, Martin; Wong, Chi-Huey; Okumu, Franklin W.;
Hwang, San-Bao
PATENT ASSIGNEE(S): Optimer Pharmaceuticals, Inc., USA
SOURCE: PCT Int. Appl., 33 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005072268	A2	20050811	WO 2005-US2017	20050120
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			

PRIORITY APPLN. INFO.: US 2004-531168P P 20040120


IT 231618-75-0, OPT 66

RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL
(Biological study); USES (Uses)
(glycosidase inhibitors for treatment of degenerative cartilage
conditions)

RN 231618-75-0 HCAPLUS

CN Acetamide, N-[[[(2R,3R,4R,5R)-3,4-dihydroxy-5-(hydroxymethyl)-1-methyl-2-pyrrolidinyl)methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



L4 ANSWER 2 OF 5 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 2004:634317 HCAPLUS
DOCUMENT NUMBER: 141:314531
TITLE: Synthesis and high-throughput screening of
N-acetyl- β -hexosaminidase inhibitor libraries

targeting osteoarthritis
AUTHOR(S): Liu, Junjie; Numa, Mehdi M. D.; Liu, Haitian; Huang, Shi-Jung; Sears, Pamela; Shikhman, Alexander R.; Wong, Chi-Huey
CORPORATE SOURCE: Department of Chemistry and the Skaggs Institute for Chemical Biology, The Scripps Research Institute, La Jolla, CA, 92037, USA
SOURCE: Journal of Organic Chemistry (2004), 69(19), 6273-6283
CODEN: JOCEAH; ISSN: 0022-3263
PUBLISHER: American Chemical Society
DOCUMENT TYPE: Journal
LANGUAGE: English


IT 231618-75-0P

RL: BSU (Biological study, unclassified); SPN (Synthetic preparation);
BIOL (Biological study); PREP (Preparation)
(preparation and screening of iminocyclitol-derivative N-acetyl- β -hexosaminidase inhibitors)

RN 231618-75-0 HCAPLUS

CN Acetamide, N-[[[(2R,3R,4R,5R)-3,4-dihydroxy-5-(hydroxymethyl)-1-methyl-2-pyrrolidinyl]methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



REFERENCE COUNT: 42 THERE ARE 42 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 3 OF 5 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2001:505094 HCAPLUS

DOCUMENT NUMBER: 136:325

TITLE: Hexosaminidase inhibitors as new drug candidates for the therapy of osteoarthritis

AUTHOR(S): Liu, J.; Shikhman, A. R.; Lotz, M. K.; Wong, C.-H.

CORPORATE SOURCE: Department of Chemistry, The Scripps Research Institute, La Jolla, CA, 92037, USA

SOURCE: Chemistry & Biology (2001), 8(7), 701-711

CODEN: CBOLE2; ISSN: 1074-5521

PUBLISHER: Elsevier Science Ltd.

DOCUMENT TYPE: Journal

LANGUAGE: English


IT 231618-75-0 306297-21-2

RL: PAC (Pharmacological activity); RCT (Reactant); THU (Therapeutic use);
BIOL (Biological study); RACT (Reactant or reagent); USES (Uses)
(hexosaminidase inhibitors as new drug candidates for therapy of osteoarthritis)

RN 231618-75-0 HCAPLUS


CN Acetamide, N-[[[(2R,3R,4R,5R)-3,4-dihydroxy-5-(hydroxymethyl)-1-methyl-2-pyrrolidinyl]methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



RN 306297-21-2 HCAPLUS
 CN Acetamide, N-[[[(2S,3R,4R,5R)-3,4-dihydroxy-5-(hydroxymethyl)-1-methyl-2-pyrrolidiny]methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



REFERENCE COUNT: 37 THERE ARE 37 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 4 OF 5 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 2000:814457 HCAPLUS
 DOCUMENT NUMBER: 133:350461
 TITLE: Preparation of iminocyclitol inhibitors of hexoaminidase and glycosidase
 INVENTOR(S): Wong, Chi-huey; Liu, Jungie
 PATENT ASSIGNEE(S): The Scripps Research Institute, USA
 SOURCE: PCT Int. Appl., 52 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000068194	A1	20001116	WO 2000-US13048	20000511
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2373183	AA	20001116	CA 2000-2373183	20000511
EP 1181274	A1	20020227	EP 2000-930662	20000511
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
JP 2002544191	T2	20021224	JP 2000-617175	20000511

Andrew Freistein 10/798,617

AU 779347	B2	20050120	AU 2000-48444	20000511
US 6774140	B1	20040810	US 2002-980869	20020212
US 2004198772	A1	20041007	US 2004-798617	20040310
PRIORITY APPLN. INFO.:			US 1999-133549P	P 19990511
			WO 2000-US13048	W 20000511
			US 2002-980869	A3 20020212

OTHER SOURCE(S): MARPAT 133:350461


IT **306297-21-2P**

RL: BAC (Biological activity or effector, except adverse); BPN (Biosynthetic preparation); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of iminocyclitol inhibitors of hexoaminidase and glycosidase)

RN 306297-21-2 HCAPLUS

CN Acetamide, N-[[[(2S,3R,4R,5R)-3,4-dihydroxy-5-(hydroxymethyl)-1-methyl-2-pyrrolidinyl)methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




IT **231618-75-0P**

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(preparation of iminocyclitol inhibitors of hexoaminidase and glycosidase)

RN 231618-75-0 HCAPLUS

CN Acetamide, N-[[[(2R,3R,4R,5R)-3,4-dihydroxy-5-(hydroxymethyl)-1-methyl-2-pyrrolidinyl)methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 5 OF 5 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:390839 HCAPLUS

DOCUMENT NUMBER: 131:102464

TITLE: A Versatile Synthetic Strategy for the Preparation and Discovery of New Iminocyclitols as Inhibitors of Glycosidases

Andrew Freistein 10/798,617

AUTHOR(S): Takebayashi, Maki; Hiranuma, Sayoko; Kanie, Yoshimi;
Kajimoto, Tetsuya; Kanie, Osamu; Wong, Chi-Huey
CORPORATE SOURCE: Frontier Research Program, The Institute of Physical
and Chemical Research (RIKEN), Wako-shi Saitama,
351-0198, Japan
SOURCE: Journal of Organic Chemistry (1999), 64(14), 5280-5291
CODEN: JOCEAH; ISSN: 0022-3263
PUBLISHER: American Chemical Society
DOCUMENT TYPE: Journal
LANGUAGE: English


IT 231618-75-0P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological
study, unclassified); SPN (Synthetic preparation); BIOL (Biological
study); PREP (Preparation)
(preparation of imino cyclitols as glycosidase inhibitors)

RN 231618-75-0 HCAPLUS

CN Acetamide, N-[[[(2R,3R,4R,5R)-3,4-dihydroxy-5-(hydroxymethyl)-1-methyl-2-
pyrrolidinyl]methyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



REFERENCE COUNT: 56 THERE ARE 56 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	20.08	187.23

STN INTERNATIONAL LOGOFF AT 12:54:54 ON 11 MAY 2006